



检测报告

迅捷检字[2023]第 号

项目名称:

仙桃绿色东方能源开发有限公司
2023年8月10日
仙桃绿色东方能源开发有限公司

委托单位:


仙桃绿色东方能源开发有限公司

检测类别:

委托检测

报告日期:

2023年8月20日





报告无检测报告
 1. 4. 报告不涂、专
 2. 4. 报告只寸本、专
 3. 4. 委托单位自采
 4. 更。托单位又寸本
 5. 出复测由请同
 6. 托单位切理定毕
 7. 内容相符本公
 8. 不司重复生或下
 9. 本公同保正工不
 10. 履行保密义务同
 11. 本报客公空同不
 12. 除客公书通要求
 13. 做留样金测所涉
 14. 1. 次和支支不
 15. 1. 规和支支不
 16. 2. 果项支支不
 17. 左上

公司通
 4. 公名尔：资料
 5. 公地止：湖北
 6. 公电：湖北
 7. 关舌：C
 8. 取编：728
 9. 正马：4
 10. 由：330
 11. 86



不

本

◎ 炉

◎ 2 炉





0231X7

平扶

合

命

式流

二、炸

比

基

貝

其



其



平

至

实例

基

源

其



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

抄
本



淚





序号	名称	单位	数量	备注
1	放	kg	1.00	
2	放	kg	1.00	
3	放	kg	1.00	
4	放	kg	1.00	
5	放	kg	1.00	
6	放	kg	1.00	
7	放	kg	1.00	
8	放	kg	1.00	
9	放	kg	1.00	
10	放	kg	1.00	
11	放	kg	1.00	
12	放	kg	1.00	
13	放	kg	1.00	
14	放	kg	1.00	
15	放	kg	1.00	
16	放	kg	1.00	
17	放	kg	1.00	
18	放	kg	1.00	
19	放	kg	1.00	
20	放	kg	1.00	
21	放	kg	1.00	
22	放	kg	1.00	
23	放	kg	1.00	
24	放	kg	1.00	
25	放	kg	1.00	
26	放	kg	1.00	
27	放	kg	1.00	
28	放	kg	1.00	
29	放	kg	1.00	
30	放	kg	1.00	
31	放	kg	1.00	
32	放	kg	1.00	
33	放	kg	1.00	
34	放	kg	1.00	
35	放	kg	1.00	
36	放	kg	1.00	
37	放	kg	1.00	
38	放	kg	1.00	
39	放	kg	1.00	
40	放	kg	1.00	
41	放	kg	1.00	
42	放	kg	1.00	
43	放	kg	1.00	
44	放	kg	1.00	
45	放	kg	1.00	
46	放	kg	1.00	
47	放	kg	1.00	
48	放	kg	1.00	
49	放	kg	1.00	
50	放	kg	1.00	
51	放	kg	1.00	
52	放	kg	1.00	
53	放	kg	1.00	
54	放	kg	1.00	
55	放	kg	1.00	
56	放	kg	1.00	
57	放	kg	1.00	
58	放	kg	1.00	
59	放	kg	1.00	
60	放	kg	1.00	
61	放	kg	1.00	
62	放	kg	1.00	
63	放	kg	1.00	
64	放	kg	1.00	
65	放	kg	1.00	
66	放	kg	1.00	
67	放	kg	1.00	
68	放	kg	1.00	
69	放	kg	1.00	
70	放	kg	1.00	
71	放	kg	1.00	
72	放	kg	1.00	
73	放	kg	1.00	
74	放	kg	1.00	
75	放	kg	1.00	
76	放	kg	1.00	
77	放	kg	1.00	
78	放	kg	1.00	
79	放	kg	1.00	
80	放	kg	1.00	
81	放	kg	1.00	
82	放	kg	1.00	
83	放	kg	1.00	
84	放	kg	1.00	
85	放	kg	1.00	
86	放	kg	1.00	
87	放	kg	1.00	
88	放	kg	1.00	
89	放	kg	1.00	
90	放	kg	1.00	
91	放	kg	1.00	
92	放	kg	1.00	



新疆捷检测

元素	实际	标准	单位	结果	判定
汞	0.0001	0.0001	mg/L	0.0001	合格
铬	0.05	0.05	mg/L	0.05	合格
锰	0.05	0.05	mg/L	0.05	合格
钴	0.05	0.05	mg/L	0.05	合格
镍	0.05	0.05	mg/L	0.05	合格
铜	0.05	0.05	mg/L	0.05	合格
砷	0.05	0.05	mg/L	0.05	合格
铅	0.05	0.05	mg/L	0.05	合格
镉	0.05	0.05	mg/L	0.05	合格
铊	0.05	0.05	mg/L	0.05	合格

检测单位

检测 报告 编号: 迅捷检字[2023]

钨
—
铀
—
钼
—
铍
—
铊
—
铈
—
铉
—
铋
—
铊
—
铈
—
铉
—
铋

检测项目	检测方法	检测频率	检测地点	检测人员	检测日期	检测结果	备注
1. 水质检测	GB 50483-2009	每月一次	施工现场	张三	2023-10-01	合格	
2. 土壤检测	GB 15193-2003	每季度一次	施工现场	李四	2023-10-05	合格	
3. 噪声检测	GB 12523-2011	每周一次	施工现场	王五	2023-10-08	合格	
4. 扬尘检测	GB 3095-2012	每月一次	施工现场	赵六	2023-10-10	合格	
5. 空气质量检测	GB 3095-2012	每月一次	施工现场	孙七	2023-10-12	合格	
6. 辐射检测	GB 8702-2014	每季度一次	施工现场	周八	2023-10-15	合格	
7. 振动检测	GB 10335-2012	每周一次	施工现场	吴九	2023-10-18	合格	
8. 噪声检测	GB 12523-2011	每周一次	施工现场	郑十	2023-10-20	合格	
9. 水质检测	GB 50483-2009	每月一次	施工现场	张十一	2023-10-22	合格	
10. 土壤检测	GB 15193-2003	每季度一次	施工现场	李十二	2023-10-25	合格	

永仁 禧仁 比仁 弟仁 申仁 鉛仁 登仁 各仁 沽仁 同仁 錦仁 孟仁 錫仁

四、

检测项目分析方法

本项目所使用的检测仪器

检测

类别

检测

表 6 检测

有组织的组织

烟 气 美 学

固定污染源废气
测定方法
固定污染源
废气子吸收
HJ

張

HJ 548



报告编号: 迅捷

	铬
	锰
	钴
	镍
	铜
	砷
	镉
	铋
	铊
	铅

[illegible][illegible]

$\frac{0}{\text{立}} \rightarrow \frac{\text{立}}{\text{子}} = \frac{0}{\text{子}}$

A vertical strip of a photograph showing a dense, colorful floral arrangement, likely a bouquet of flowers, with various colors including red, pink, and white.

Figure 1 displays 12 stacked bar charts, each representing the concentration of a different trace element (XJF) in mg/m³ across various depths (0.1 to 1.2). The elements are: XJF, XJF, XJF, XJF, XJF, XJF, XJF, XJF, XJF, XJF, XJF, and XJF. The charts show that concentrations generally increase with depth, with some elements like XJF and XJF showing significant increases at greater depths.

WORLD OFFICIALS

